

References for the Sonoclot Coagulation & Platelet Function Analyzer

1. Ganter MT, Monn A, Tavakoli R, et al. Monitoring activated clotting time for combined heparin and aprotinin application: in vivo evaluation of a new aprotinin-insensitive test using Sonoclot. *Eur J Cardiothorac Surg.* 2006; 30(2): 278-84.
2. Dalbert S, Ganter MT, Furrer L, et al. Effects of heparin, haemodilution and aprotinin on kaolin-based activated clotting time: in vitro comparison of two different point of care devices. *Acta Anaesthesiol Scand.* 2006; 50(4): 461-8.
3. Ganter MT, Dalbert S, Graves K, et al. Monitoring activated clotting time for combined heparin and aprotinin application: an in vitro evaluation of a new aprotinin-insensitive test using Sonoclot. *Anesth Analg.* 2005; 101(2): 308-14.
4. Tanaka KA, Katori N, Szlam F, et al. Effects of tirofiban on haemostatic activation in vitro. *Br J Anaesth.* 2004; 93(2): 263-9.
5. Shibata T, Sasaki Y, Hattori K, et al. Sonoclot analysis in cardiac surgery in dialysis dependent patients. *Ann Thorac Surg.* 2004; 77(1): 220-05.
6. Shimokawa M, Kitaguchi K, Kawaguchi M, Sakamoto T, Kakimoto M, Furuya H. The influence of induced hypothermia for hemostatic function of temperature-adjusted measurements in rabbits. *Anesth Analg.* 2003; 96: 1209-13.
7. Liszka-Hackzell J J and Ekback G. Analysis of the information content in Sonoclot data and reconstruction of coagulation test variables. *Journal of Medical Systems.* 2002; 26(1): 1-8.
8. Furuhashi M, Ura N, Hasegawa K, et al. Sonoclot coagulation analysis: New bedside monitoring for determination of the appropriate heparin dose during haemodialysis. *Nephrol Dial Transplant.* 2002; 17(8): 1457-62.
9. Bindi ML, Biancofiore GD, Consani G, et al. Blood coagulation monitoring during liver transplantation: Sonoclot Analysis and laboratory tests. *Minerva Anesthesiol.* 2001; 67(5): 359-69.
10. Kamada Y, Yamakage M, Niiya T, et al. Celite-activated viscometer Sonoclot can measure the suppressive effect of tranexamic acid on hyperfibrinolysis in cardiac surgery. *J. Anesth.* 2001; 15(1): 17-21.
11. Waters JH, Anthony DG, Gottlieb A, Sprung J. Bleeding in a patient receiving platelet aggregation inhibitors. *Anesth Analg.* 2001; 93(4): 878-82.
12. Pivalizza EG, Pivalizza PJ, Kee S, Gottschalk LI, Szmuk P, Abramson DC. Sonoclot analysis in healthy children. *Anesth Analg.* 2001; 92(4): 904-6.
13. Santucci RA, Erlich J, Labriola J, et al. Measurement of tissue factor activity in whole blood. *Thromb Haemost.* 2000; 83(3): 445-54.
14. Konrad C, Markl T, Schuepfer G, Schmeck J, Gerber H. In-Vitro effects of different medium molecular hydroxyethyl starch solutions and lactated Ringer's solution on coagulation using Sonoclot. *Anesth Analg.* 2000; 90(2): 274-9.
15. Kjeliberg U, Hellgren M. Sonoclot Signature during normal pregnancy. *Intensive Care Med.* 2000; 26(2): 206-11.
16. Brazil EV, Coats TJ. Sonoclot coagulation analysis of in-vitro haemodilution with resuscitation solutions. *J R Soc Med.* 2000; 83(10): 507-10.
17. Ekback G, Carlsson O, Schott U. Sonoclot coagulation analysis: a study of test variability. *J Cardiothorac Vasc Anesth.* 1999; 13(4): 393-7.
18. McKenzie ME, Gurbel PA, Levine DJ, Serebruany VL. Clinical utility of available methods for determining platelet function. *Cardiology.* 1999; 92(4): 240-7.
19. Konrad C, Markl T, Schuepfer G, Gerber H, Tschopp M. The effects of in-vitro hemodilution with gelatin, hydroxethyl starch, and lactated Ringer's solution on markers of coagulation: an analysis using Sonoclot. *Anesth Analg.* 1999; 88(3):483-8.
20. Pivalizza EG, Koch SM, Mehlhorn U, Berry JM, Bull JMC. The effects of intentional hyperthermia on the Thromboelastograph and the Sonoclot Analyzer. *Int. J. Hyperthermia.* 1999; 15(3): 217-23.
21. Miyashita T, Kuro M. Evaluation of platelet function by Sonoclot analysis compared with other hemostatic variables in cardiac surgery. *Anesth Analg.* 1998; 87(6): 1228-33.
22. Pivalizza EG, Abramson DC, Harvey A. Perioperative hypercoagulability in uremic patients: a viscoelastic study. *J*

- Clin Anesth 1997; 9(6): 442-5.
23. Pivalizza EG, Pivalizza PJ, Weavind LM. Perioperative throboelastography and Sonoclot analysis in morbidly obese patients. *Can J Anesth.* 1997; 44(9): 942-5.
 24. Nuttall GA, Oliver WC, Ereth MH, Santrach PJ. Coagulation tests predict bleeding after cardiopulmonary bypass. *J Cardiothorac Vasc Anesth.* 1997; 11(7): 815-23.
 25. Lyew MA, Spaulding WC. Template for rapid analysis of the Sonoclot Signature. *J Clin Monit* 1997; 13(4): 273-7.
 26. Horlocker TT, Schroeder DR. Effect of age, gender, and platelet count on Sonoclot coagulation analysis in patients undergoing orthopedic operations. *Mayo Clinic Proc.* 1997, 72(3): 214-219.
 27. Amerikhosravi A, Biggerstaff JP, Warnes G, Francis DA, Francis J. Determination of tumor cell procoagulant activity by Sonoclot analysis in whole blood. *Thromb Res.* 1996; 84(5): 323-32.
 28. Yang Y-C, Tsai S-K, Ng K-O, Keung L-K, Hseu S-S, Lee T-Y. Evaluation of the hemostatic clot formation of newborns by Sonoclot Coagulation Analyzer. *Chin Med J.* 1995; 56(2): 115-9.
 29. Schött U, Björzell-Östling E. Sonoclot coagulation analysis and plasma exchange in a case of meningococcal septicaemia. *Can J Anaesth.* 1995; 42(1): 64-8.
 30. Hett DA, Walker D, Pilkington SN, Smith DC. Sonoclot analysis. *Br J Anaesth.* 1995; 75(6): 771-6.
 31. Francis JL, Francis DA, Gunathilagan GJ. Assessment of hypercoagulability in patients with cancer using the Sonoclot Analyzer and Thromboelastography. *Thromb Res.* 1994; 74(4): 335-46.
 32. Wasson AW, Stubblefield PG. Use of a coagulation analyzer in managing disseminated intravascular coagulation after midtrimester pregnancy termination - a case report. *J Reprod Med.* 1994; 39(10): 835-7.
 33. Steer PL, Krantz HB. Thromboelastography and Sonoclot analysis in the healthy patient. *J. Clin Anesth.* 1993; 5(5): 419-24.
 34. Chapin JW, Becker JL, Hurlbert BJ, Newland MC, Cuka DJ, Wood RP, Shaw BW Jr. Comparison of Thrombelastograph and Sonoclot Coagulation Analyzer for assessing coagulation status during orthotopic liver transplantation. *Transplant Proc.* 1989; 21(3): 3539.
 35. Tuman KJ, Spiess BD, McCarthy RJ, Ivankovich AD. Comparison of viscoelastic measures of coagulation after cardiopulmonary bypass. *Anesth Analg.* 1989; 69(1): 69-75.
 36. Stern MP, DeVos-Doyle K, Viguera MG, Lajos TZ. Evaluation of post-cardiopulmonary bypass Sonoclot Signatures in patients taking nonsteroidal anti-inflammatory drugs. *J Cardiothorac Anesth.* 1989; 3(6): 730-3.
 37. Shenaq SA, Saleem A. Viscoelastic measurement of clot formation: the Sonoclot. In: Ellison N, Jobs DR, eds. *Effective Hemostasis in Cardiac Surgery.* Philadelphia, PA: Harcourt Brace Jovanovich, Inc.; 1988: 183-93.
 38. Newland MC, Chapin JW, Hurlbert BJ, Kennedy EM, Newland JR. Thrombelastograph and Sonoclot Signature monitoring of changes in blood coagulation following cardiopulmonary bypass. *Anesthesiology.* 1987; 67(3A): A199.
 39. Blifeld C, Courtney JT, Gross JR. Assessment of neonatal platelet function using a viscoelastic technique. *Ann Clin Lab Sci.* 1986; 16(5): 373-9.
 40. Barnard RJ, Hall JA. Effects of diet and exercise on blood pressure and viscosity in hypertensive patients. *J Cardiac Rehabilitation.* 1985; 5: 185.
 41. Schreiber WE, Schmer G. Fibrinogen seattle II: Defective Release of Fibrinopeptide A in a Slow Clotting Fibrinogen". *Thromb Res.* 1985; 37(1): 45.
 42. Schreiber WE, Schmer G. Application of mechanical impedance measurements to the study of dysfibrinogens. *J Lab Clin Med.* 1984; 104(4): 494-500.
 43. Saleem A, Blifeld C, Saleh SA, et al. Viscoelastic measurement of clot formation: a new test of platelet function. *Ann Clin Lab Sci.* 1983; 13(2): 115-24.
 44. Gordon SG, Gilbert LC, Lewis BJ. Analysis of procoagulant activity of intact cells from tissue culture. *Thromb Res.* 1982; 26(5): 379-87
 45. Sugiura K, Ikeda Y, Ono F, Watanabe K, Ando Y. Detection of hypercoagulability by the measurement of the dynamic loss modulus of clotting blood. *Thromb Res.* 1982; 27(2): 161-6.

46. Saleem A. Bleeding problems after cardiovascular surgery. *Am J Med Tech.* 1982; 48(5): 388. Abstract.
47. Abbasi S, Johnson L. A micro heparin assay for sick preterm infants. *The Society for Pediatric Research*, 1982: 16-273A, Abstract 1166.
48. Abbasi S, Johnson L. Microviscosity measurement using a mechanical impedance technique. *The Society for Pediatric Research*, 1982: 16-197A, Abstract 711.
49. Hamstra R, Ens G. Hypercoagulation. Monograph published by Colorado Coagulation Consultants, Denver, CO., January, 1982.
50. Kurica K, Holmes J, Peck S, Cox B, Brantigan C, Wenzel W. Hypercoagulation and the predictability of thromboembolic phenomena in total hip and total knee surgery. *Thrombosis and Haemostasis.* 1981; 46(1): 17, Abstract 0039.
51. Saleem A, Yawn DH, Saleh SA, Crawford ES. Clot impedance as an indicator platelet dysfunction following cardiopulmonary bypass. *Thrombosis and Haemostasis.* 1981; 45(1): 143, Abstract 0442.
52. Hamstra R, Ens G. "Hypercoagulation". *Tech Talk*, 3 (2): 1, 1979.
53. Peck, S.: "Evaluation on the In-Vitro Detection of the Hypercoagulable State Using the Thrombin Generation Test and Plasma Clot Impedance Test". *Thrombosis and Haemostasis*, 42 (27): 764, 1979.
54. Newlin, F., Ens, G., Leppke, L. and Hamstra, R.: "Heparin Control with the SONOCLOT". *American Journal of Medical Technology*, 44: 508, 1978.
55. Hamstra, R., Ens, G. and Simons, S.: "The SONOCLOT: A New Thrombokinetic Coagulation Instrument". *Thrombosis and Haemostasis*, 38 (1): 282, 1977. Abstract.
56. Ens G, Hamstra R. ReAct Test recalcification of activated whole blood using the SONOCLOT". *Thrombosis and Haemostasis.* 1977; 38(1): 282, Abstract.
57. von Kaulla K, Ostendorf P, von Kaulla E. The impedance machine: a new bedside coagulation recording device. *J Med.* 1975; 6(1): 73.
58. von Kaulla K, Simons S. Changes in mechanical impedance: a new principle for measuring and recording various parameters of blood coagulation. *Federation Proceedings.* 1972; 31: 247, Abstract.
59. von Kaulla E, von Kaulla K, Simons S. Veraenderungen Mechanischer Impedanz, Ein Neues Prinzip Fuer Electromechanische Registrierung Von Unterschiedlicher Gerinnungsparametern Einschliesslich Uebergerinnbarkeit. *Herzinfarkt und Blutgerinnung*, R. Marx and H.A. Thies eds; *Thrombos. Diathes. et Haemorrh. Suppl.*, 52, 111:1972.